

PERGO®

DOMESTIC EXTRA



FLOORS FOR REAL LIFE

domestic **Extra**

Accentuates the personality of any interior space
Class 23/32, 15 Year Guarantee, residential use

Product Characteristics	Standard	Requirement
Abrasion class	EN 13329 : 2009	AC4, IP-value \geq 4000 revolutions
Resistance to staining	EN 13329 : 2009	5, groups 1 and 2 4, group 3
Static indentation	EN 13329 : 2009	No visible change, i.e. \leq 0.01 mm indentation using a straight steel cylinder, $\varnothing = 11.30$ mm
Resistance to cigarette burns	EN 13329 : 2009	\geq Grade 4
Effect of a furniture leg	EN 13329 : 2009	No damage to be visible, when tested with foot type 0
Effect of a castor chair	EN 425	No change in appearance or damage
Thickness swelling	EN 13329 : 2009	\leq 18.0%
Impact resistance	EN 13329 : 2009	IC2
Formaldehyde emission	EN 717	E1 value \leq 0.1 ppm (0.125 mg/m ³)
Light fastness	EN 13329 : 2009	Blue wool scale, not worse than 6, Grey scale, not worse than 4
Thickness of the element	EN 13329 : 2009	$\Delta t_{\text{average}} \leq 0.50$ mm, relative to nominal value $t_{\text{max}} - t_{\text{min}} \leq 0.50$ mm
Height different between elements	EN 13329 : 2009	$h_{\text{average}} \leq 0.10$ mm $h_{\text{max}} \leq 0.15$ mm
Dimensional variations after changes in relative humidity	EN 13329 : 2009	δl average \leq 0.9 mm δw average \leq 0.9 mm



Harmony Oak, plank L0499-1459 Surface: Silky Gloss 2V



Authentic Oak, plank L0499-1462 Surface: Deep Emboss



African Oak, plank L0499-1818 Surface: Deep Emboss



Pecan, plank L0499-2123 Surface: Deep Emboss 2V



Salted Lapacho, plank L0499-2127 Surface: Silky Gloss



Smoked Oak, plank L0499-2135 Surface: Deep Emboss

Production Method : DPL – Direct Pressure Laminate according to EN 13329:2009

Thickness of panels : 8 mm, Decor dimensions : 196 mm x 1288 mm

Pallets per container : 22 pallets for 20' = 2,666.40 m²

Packing : 1 carton = 8 panels ≈ 2.02 m², 1 pallet = 60 cartons ≈ 121.20 m², 8 panels ≈ 15 kg/carton, 60 cartons ≈ 910 kg/pallet



Italian Walnut, plank L0499-2136 Surface: Silky Gloss 2V



Red Oak, plank L0499-2200 Surface: Deep Emboss



Wenge, plank L0499-2201 Surface: Silky Gloss



Dark Brown Oak, 3-strip L0499-2249 Surface: Deep Emboss



Classic Grey Oak, 3-strip L0499-2250 Surface: Silky Gloss



European Walnut, 3-strip L0499-2251 Surface: Silky Gloss



Classic Oak, plank L0499-2252 Surface: Deep Emboss 2V



Victoria Oak, 2-strip L0499-2253 Surface: Silky Gloss



Spanish Oak, plank L0499-2254 Surface: Deep Emboss



Amber Oak, plank L0499-2259 Surface: Deep Emboss



www.pergo.co.in

PERGO®

Pergo India Pvt. Ltd.

M-13, 1st Floor, M-Block Market, Greater Kailash - II, New Delhi - 110 048. +91 11 41435741, +91 85954 22264

55, Dr. E. Moses Road, Worli, Mumbai - 400 018. +91 22 66627900, +91 74989 09222

SMS "Pergo" to "56070", or email us at customer care.delhi@unilin.com, customer care.mumbai@unilin.com

👍 Like our Facebook page for updates - <https://www.facebook.com/PERGOINDIA>